

Wilchem

Liquid Ammonium Sulfate

Herbicide Adjuvant

ACTIVE CONSTITUENT > 425g/L AMMONIUM SULFATE

Non-selective herbicide adjuvant for use with liquid flowable herbicide formulations to minimise antagonism of glyphosate.

CONTENTS

20 Litres

MADE IN AUSTRALIA

Produced by:

Wilchem Pty. Ltd. ABN 22 055 833 111 • 39 Jonal Drive, Cavan, South Australia 5094

Ph: (08) 8359 6855 Fax: (08) 8260 1840 Email: info@wilchem.com.au

Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant

Directions for Use

Restrictions: Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant should only be used with non-selective herbicides.

| Situation | Rate | Critical Comments |
|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Reduce the antagonism between Glyphosate and Triazine herbicides, eg. Atrazine 500g/L and Simazine 500g/L. | 2 L/100 L of spray solution or 20 L/1000 L of spray solution | 1. Half fill spray tank with clean water and start agitation. Slowly add Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant. 2. Add Flowable Atrazine 500 g/L, or Flowable Simazine 500 g/L. 3. Add the required amount of Glyphosate herbicide. 4. Add wetting agents, then fill tank with water. 5. Ensure good agitation at all times and use the tank mix immediately. |
| 2. Improve the performance of Glyphosate under adverse environmental conditions. | | |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS:

Thoroughly flush spray equipment with water after use, as ammonium sulfate may be corrosive to metal parts.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL:

KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable

vegetation and tree roots. Empty containers and product should not be burnt.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131126.

MSDS:

Additional information is listed in the Material Safety Data Sheet.

CONDITIONS OF SALE:

The use of Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant being beyond the control of the manufacturer, no warranty expressed or implied is given by Wilchem Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Wilchem Pty. Ltd. accepts no responsibility for any consequence whatsoever from the use of this product.

BATCH No.

DOM:

APVMA Approval No. 58784/20/0504

Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant

ACTIVE CONSTITUENT > 425g/L AMMONIUM SULFATE

Non-selective herbicide adjuvant for use with liquid flowable herbicide formulations to minimise antagonism of glyphosate.

CONTENTS

110 Litres

MADE IN AUSTRALIA

Produced by:

Wilchem Pty. Ltd. ABN 22 055 833 111 • 39 Jonal Drive, Cavan, South Australia 5094

Ph: (08) 8359 6855 Fax: (08) 8260 1840 Email: info@wilchem.com.au

Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant

Directions for Use

Restrictions: Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant should only be used with non-selective herbicides.

| Situation | Rate | Critical Comments |
|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Reduce the antagonism between Glyphosate and Triazine herbicides, eg. Atrazine 500g/L and Simazine 500g/L. | 2 L/100 L of spray solution or 20 L/1000 L of spray solution | 1. Half fill spray tank with clean water and start agitation. Slowly add Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant. 2. Add Flowable Atrazine 500 g/L, or Flowable Simazine 500 g/L. 3. Add the required amount of Glyphosate herbicide. 4. Add wetting agents, then fill tank with water. 5. Ensure good agitation at all times and use the tank mix immediately. |
| 2. Improve the performance of Glyphosate under adverse environmental conditions. | | |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS:

Thoroughly flush spray equipment with water after use, as ammonium sulfate may be corrosive to metal parts.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL:

KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable

vegetation and tree roots. Empty containers and product should not be burnt.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131126.

MSDS:

Additional information is listed in the Material Safety Data Sheet.

CONDITIONS OF SALE:

The use of Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant being beyond the control of the manufacturer, no warranty expressed or implied is given by Wilchem Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Wilchem Pty. Ltd. accepts no responsibility for any consequence whatsoever from the use of this product.

BATCH No.

DOM:

APVMA Approval No. 58784/110/0504

Wilchem Liquid Ammonium Sulfate

Herbicide Adjuvant

ACTIVE CONSTITUENT > 425g/L AMMONIUM SULFATE

Non-selective herbicide adjuvant for use with liquid flowable herbicide formulations to minimise antagonism of glyphosate.

CONTENTS

1000 Litres

MADE IN AUSTRALIA

Produced by:

Wilchem Pty. Ltd. ABN 22 055 833 111 • 39 Jonal Drive, Cavan, South Australia 5094

Ph: (08) 8359 6855 Fax: (08) 8260 1840 Email: info@wilchem.com.au

Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant

Directions for Use

Restrictions: Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant should only be used with non-selective herbicides.

| Situation | Rate | Critical Comments |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Reduce the antagonism between Glyphosate and Triazine herbicides, eg. Atrazine 500g/L and Simazine 500g/L. 2. Improve the performance of Glyphosate under adverse environmental conditions. | 2 L/100 L of spray solution or 20 L/1000 L of spray solution | 1. Half fill spray tank with clean water and start agitation. Slowly add Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant. 2. Add Flowable Atrazine 500 g/L, or Flowable Simazine 500 g/L. 3. Add the required amount of Glyphosate herbicide. 4. Add wetting agents, then fill tank with water. 5. Ensure good agitation at all times and use the tank mix immediately. |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS:

Thoroughly flush spray equipment with water after use, as ammonium sulfate may be corrosive to metal parts.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL:

KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable

vegetation and tree roots. Empty containers and product should not be burnt.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131126.

MSDS:

Additional information is listed in the Material Safety Data Sheet.

CONDITIONS OF SALE:

The use of Wilchem Liquid Ammonium Sulfate Herbicide Adjuvant being beyond the control of the manufacturer, no warranty expressed or implied is given by Wilchem Pty. Ltd., regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Wilchem Pty. Ltd. accepts no responsibility for any consequence whatsoever from the use of this product.

BATCH No.

DOM:

APVMA Approval No. 58784/1000/0504